

Parker, Jennifer

From: Parker, Jennifer
Sent: Thursday, July 17, 2014 4:55 PM
To: Boger, Willett K (DEC)
Subject: RE: N. C. Machinery Floor Drains

Thanks again. It's good to know that the current building is connected to sewer!

From: Boger, Willett K (DEC) [mailto:willett.boger@alaska.gov]
Sent: Thursday, July 17, 2014 3:49 PM
To: Parker, Jennifer
Subject: FW: N. C. Machinery Floor Drains

Oops ... that is not a theater for Tennessee Williams but rather the old Tennessee Miller site.

Will Boger

GIS/Environmental Program Specialist
Alaska Dept of Environmental Conservation
Contaminated Sites Program
(907) 451-2370 Office
willett.boger@alaska.gov

From: Boger, Willett K (DEC)
Sent: Thursday, July 17, 2014 2:42 PM
To: 'Parker, Jennifer'
Subject: N. C. Machinery Floor Drains

Hi Jennifer,

I am just following up on an email you sent Janice asking about the new NC building (old Tennessee Williams site) and what they did for floor drains. I confirmed that they hooked up to GHU water and sewer. The floor drains have an oil-water separator with a tank that is cleaned out for the oil. The rest flows into the GHU sewer lines.

Will

Will Boger

GIS/Environmental Program Specialist
Alaska Dept of Environmental Conservation
Contaminated Sites Program
(907) 451-2370 Office
willett.boger@alaska.gov

USEPA REG



0000434